

## METHOD OF WITHOUT INSTALLING APPLICATIONS IN AN ELECTRONIC DEVICE IN ADVANCE

### FIELD OF THE INVENTION

5       The present invention relates to software installation and more particularly to a method of connecting a memory device (e.g., portable disk, memory card, or the like) to an electronic device (e.g., notebook computer, PDA (Personal Digital Assistant), or the like) for automatically copying one or more applications to the electronic device for use and thus eliminating the need of  
10   installing the same in the electronic device in advance.

### BACKGROUND OF THE INVENTION

      There is a rapid, spectacular development of electronics technology in recent years. People can retrieve information from millions of sources in this  
15   information age in an even faster speed. Accordingly, amount of data being transferred grows significantly. People heavily rely on computers in processing data and exchanging information with other people in their daily life. Thus, computers have become a ubiquitous tool for both personal and work related tasks. This in turn speeds up the development of high-technology industries  
20   (e.g., electronics).

      A typical application is able to process a large amount of data because people want powerful computers to be available. Hence, the main routine of the typical application has a very large memory size. For example, it may occupy at least 300 MB. Also, it is known that such application has to be  
25   installed in an OS (operating system) of a computer prior to running. Inevitably, a computer test employee has to install an application in a computer to be tested one by one in the assembly line. Next, the required test on each computer may begin. In view of the above, it is very inconvenient. To the worse, illegal copying may occur. This thus violates the applicable copyright law.

Hence, a need for improvement exists.

## SUMMARY OF THE INVENTION

One object of the present invention is to provide a method of without  
5 application installation comprising installing an application in a memory device  
(e.g., portable disk) in advance, connecting the memory device to an electronic  
device (e.g., personal computer) prior to use, automatically copying the  
application as a linked shortcut in an OS of the electronic device, showing an  
icon of the shortcut on a screen of the electronic device, and clicking the icon  
10 for opening the application, thereby enabling the electronic device to run the  
application. By utilizing the present invention, it is possible of running an  
application without installing the same in a hard disk of an electronic device.

Another object of the present invention is to provide a memory device  
having a plurality of applications installed in memory thereof. Each application  
15 has a corresponding autorun.bat. The memory device can be electrically  
connected to the electronic device by inserting the USB connector of the  
memory device into the USB port of the electronic device. Next, each of the  
applications automatically copies itself as a linked shortcut in the OS of the  
electronic device. These icons of the shortcuts are shown on the screen of the  
20 electronic device. In use, a user may click one of the icons for opening the  
autorun.bat of the corresponding application. As a result, the electronic device  
is enabled to run the application.

The above and other objects, features and advantages of the present  
invention will become apparent from the following detailed description taken  
25 with the accompanying drawings.

## BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a flow chart diagram according to the invention.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The invention is directed to a method of without application installation comprising installing an application in a memory device (e.g., portable disk, memory card, or the like) in advance, connecting the memory device to an electronic device (e.g., personal computer, PDA, notebook computer, or the like) prior to use, automatically copying the application as a linked shortcut in an OS of the electronic device, showing an icon of the shortcut on the screen of the electronic device, and clicking the icon for opening the application, thereby enabling the electronic device to run the application.

10 In one embodiment of the invention, the memory device is a portable disk having a USB (Universal Serial Bus) connector. The memory device is adapted to connect to an electronic device by inserting the USB connector into a USB port of the electronic device. Memory of the memory device has an installed application (e.g., WS-FTP). The application has an embedded autorun.bat.

15 The electronic device is a notebook computer. The electronic device has at least one USB port so that the memory device may connect thereto.

The memory device can be electrically connected to the electronic device by inserting the USB connector into the USB port. Next, the application automatically copies itself as a linked shortcut in an OS of the electronic device and shows an icon of the shortcut on the screen of the electronic device. In use, a user may click the icon for opening the autorun.bat of the application. Finally, the electronic device is enabled to run the application.

In another embodiment of the invention, a plurality of applications are installed in memory of the memory device. Each application has a corresponding autorun.bat. The memory device can be electrically connected to the electronic device by inserting the USB connector into the USB port of the electronic device. Next, each of the applications automatically copies itself as a linked shortcut in an OS of the electronic device. These icons of the shortcuts are shown on the screen of the electronic device. In use, a user may click one

of the icons for opening the autorun.bat of the corresponding application. Finally, the electronic device is enabled to run the application.

Referring to FIG. 1, there is shown a flow chart in accordance with the invention. Running the application in the memory device will cause a  
5 microprocessor of the memory device to run the following steps:

In step 101, it is determined whether the memory device is electrically connected to the electronic device. If yes, the process goes to step 102. Otherwise, the process loops back to itself.

In step 102, the application automatically copies itself as a linked shortcut  
10 in an OS of the electronic device.

In step 103, show an icon of the shortcut on the screen of the electronic device.

In step 104, it is determined whether the icon of the shortcut is clicked. If yes, the process goes to step 105. Otherwise, the process loops back to step  
15 103.

In step 105, open the autorun.bat linked to the application in memory of the memory device. Finally, the electronic device is enabled to run the application. The process then ends.

In brief, the invention can run an application without installing the same in  
20 the hard disk of an electronic device. Also, the application can be run in a plug and play manner by connecting the memory device to the electronic device. This can eliminate problems associated with software installation and thus save installation time. Further, no software installation means lower possibility of being illegally copied. This can protect copyright of the application entitled to  
25 each user. Furthermore, this is a modular design for facilitating management, thereby significantly reducing the probability of being malfunctioned. As an end, the use of the invention is very convenient.

While the invention has been described by means of specific embodiments, numerous modifications and variations could be made thereto

by those skilled in the art without departing from the scope and spirit of the invention set forth in the claims.